



Product Service

Attestation of Conformity

No. N8A 083334 0062 Rev. 00

Model(s):

1000 V DC system voltage Single Glass modules:
 UL-xxxP-72, xxx= 330 to 360 in step of 5
 UL-xxxP-60, xxx= 275 to 300 in step of 5
 UL-xxxP-54, xxx= 245 to 270 in step of 5
 UL-xxxP-48, xxx= 220 to 240 in step of 5

1500 V DC system voltage Single Glass modules:
 UL-xxxP-72HV, xxx= 330 to 360 in step of 5
 UL-xxxP-60HV, xxx= 275 to 300 in step of 5
 UL-xxxP-54HV, xxx= 245 to 270 in step of 5
 UL-xxxP-48HV, xxx= 220 to 240 in step of 5

Half cell 1000 V DC system voltage Single Glass modules:
 UL-xxxP-144, xxx = 335 to 375 W in step of 5
 UL-xxxP-120, xxx = 280 to 310 W in step of 5
 UL-xxxP-108, xxx = 255 to 280 W in step of 5
 UL-xxxP-96, xxx = 225 to 250 W in step of 5

Half cell 1500 V DC system voltage Single Glass modules:
 UL-xxxP-144HV, xxx = 335 to 375 W in step of 5
 UL-xxxP-120HV, xxx = 280 to 310 W in step of 5
 UL-xxxP-108HV, xxx = 255 to 280 W in step of 5
 UL-xxxP-96HV, xxx = 225 to 250 W in step of 5
 xxx is standing for rated output power at STC

Parameters:

Construction:	Framed, with Junction box, Cable and Connectors.
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute No. 10 West Kaifa Road, Yangzhou 225009 Jiangsu, P. R. China
Safety Class:	Class II
Maximum System Voltage:	1000 V DC or 1500 V DC

Tested according to:

EN IEC 61730-1:2018
 EN IEC 61730-1:2018/AC:2018-06
 EN IEC 61730-2:2018
 EN IEC 61730-2:2018/AC:2018-06

Page 2 of 2

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD
 CERTIFICATE ◆ CERTIFICADO ◆ CERTIFIKAT ◆ 認證證書 ◆

A4 / 07.17